





13611 B Street • Omaha, Nebraska 68144-3693 • (402) 334-7770 • FAX (402) 334-9121 • www.midwestlabs.com

Lab #	2895226	Report of Analysis		Report Number: 19-056-4127																																																																																																																																																	
<b>Account:</b> 34024	KARLA ADAMI CITY OF LARAMIE WWTP PO BOX C LARAMIE WY 82073		 Robert Ferris Account Manager 402-829-9871																																																																																																																																																		
<b>Date Sampled:</b> <b>Date Received:</b> <b>Sample ID:</b>	2019-02-11 2019-02-12 749787-1																																																																																																																																																				
			Compost Pkg																																																																																																																																																		
Total content, lbs per ton (as rec'd)																																																																																																																																																					
<table border="1"> <thead> <tr> <th></th> <th></th> <th>Analysis (as rec'd)</th> <th>Analysis (dry weight)</th> <th></th> </tr> </thead> <tbody> <tr> <td colspan="5"><b>NUTRIENTS</b></td> </tr> <tr> <td colspan="5">Nitrogen</td> </tr> <tr> <td>Total Nitrogen</td> <td>%</td> <td>0.93</td> <td>1.09</td> <td>18.6</td> </tr> <tr> <td>Organic Nitrogen</td> <td>%</td> <td>0.80</td> <td>0.95</td> <td>16.1</td> </tr> <tr> <td>Ammonium Nitrogen</td> <td>%</td> <td>0.127</td> <td>0.150</td> <td>2.5</td> </tr> <tr> <td>Nitrate Nitrogen</td> <td>%</td> <td>&lt; 0.01</td> <td>----</td> <td>----</td> </tr> <tr> <td colspan="5">Major and Secondary Nutrients</td> </tr> <tr> <td>Phosphorus</td> <td>%</td> <td>0.31</td> <td>0.36</td> <td>6.2</td> </tr> <tr> <td>Phosphorus as P2O5</td> <td>%</td> <td>0.71</td> <td>0.84</td> <td>14.2</td> </tr> <tr> <td>Potassium</td> <td>%</td> <td>0.56</td> <td>0.66</td> <td>11.2</td> </tr> <tr> <td>Potassium as K2O</td> <td>%</td> <td>0.67</td> <td>0.79</td> <td>13.4</td> </tr> <tr> <td>Sulfur</td> <td>%</td> <td>0.23</td> <td>0.27</td> <td>4.6</td> </tr> <tr> <td>Calcium</td> <td>%</td> <td>2.85</td> <td>3.36</td> <td>57.0</td> </tr> <tr> <td>Magnesium</td> <td>%</td> <td>0.64</td> <td>0.75</td> <td>12.8</td> </tr> <tr> <td>Sodium</td> <td>%</td> <td>0.050</td> <td>0.059</td> <td>1.0</td> </tr> <tr> <td colspan="5">Micronutrients</td> </tr> <tr> <td>Iron</td> <td>ppm</td> <td>10400</td> <td>12244</td> <td>20.8</td> </tr> <tr> <td>Manganese</td> <td>ppm</td> <td>211</td> <td>248</td> <td>0.4</td> </tr> <tr> <td>Boron</td> <td>ppm</td> <td>&lt; 100</td> <td>----</td> <td>----</td> </tr> <tr> <td colspan="5"><b>OTHER PROPERTIES</b></td> </tr> <tr> <td>Moisture</td> <td>%</td> <td>15.06</td> <td></td> <td></td> </tr> <tr> <td>Total Solids</td> <td>%</td> <td>84.94</td> <td></td> <td>1698.8</td> </tr> <tr> <td>Organic Matter</td> <td>%</td> <td>18.90</td> <td>22.25</td> <td>378.0</td> </tr> <tr> <td>Ash</td> <td>%</td> <td>65.60</td> <td>77.23</td> <td>1312.0</td> </tr> <tr> <td>Total Carbon</td> <td>%</td> <td>9.43</td> <td>11.10</td> <td></td> </tr> <tr> <td>Chloride</td> <td>%</td> <td>0.05</td> <td>0.06</td> <td></td> </tr> <tr> <td>pH</td> <td></td> <td>7.2</td> <td></td> <td></td> </tr> <tr> <td>Conductivity 1:5 (Soluble Salts)</td> <td>mS/cm</td> <td>1.58</td> <td></td> <td></td> </tr> </tbody> </table>							Analysis (as rec'd)	Analysis (dry weight)		<b>NUTRIENTS</b>					Nitrogen					Total Nitrogen	%	0.93	1.09	18.6	Organic Nitrogen	%	0.80	0.95	16.1	Ammonium Nitrogen	%	0.127	0.150	2.5	Nitrate Nitrogen	%	< 0.01	----	----	Major and Secondary Nutrients					Phosphorus	%	0.31	0.36	6.2	Phosphorus as P2O5	%	0.71	0.84	14.2	Potassium	%	0.56	0.66	11.2	Potassium as K2O	%	0.67	0.79	13.4	Sulfur	%	0.23	0.27	4.6	Calcium	%	2.85	3.36	57.0	Magnesium	%	0.64	0.75	12.8	Sodium	%	0.050	0.059	1.0	Micronutrients					Iron	ppm	10400	12244	20.8	Manganese	ppm	211	248	0.4	Boron	ppm	< 100	----	----	<b>OTHER PROPERTIES</b>					Moisture	%	15.06			Total Solids	%	84.94		1698.8	Organic Matter	%	18.90	22.25	378.0	Ash	%	65.60	77.23	1312.0	Total Carbon	%	9.43	11.10		Chloride	%	0.05	0.06		pH		7.2			Conductivity 1:5 (Soluble Salts)	mS/cm	1.58		
		Analysis (as rec'd)	Analysis (dry weight)																																																																																																																																																		
<b>NUTRIENTS</b>																																																																																																																																																					
Nitrogen																																																																																																																																																					
Total Nitrogen	%	0.93	1.09	18.6																																																																																																																																																	
Organic Nitrogen	%	0.80	0.95	16.1																																																																																																																																																	
Ammonium Nitrogen	%	0.127	0.150	2.5																																																																																																																																																	
Nitrate Nitrogen	%	< 0.01	----	----																																																																																																																																																	
Major and Secondary Nutrients																																																																																																																																																					
Phosphorus	%	0.31	0.36	6.2																																																																																																																																																	
Phosphorus as P2O5	%	0.71	0.84	14.2																																																																																																																																																	
Potassium	%	0.56	0.66	11.2																																																																																																																																																	
Potassium as K2O	%	0.67	0.79	13.4																																																																																																																																																	
Sulfur	%	0.23	0.27	4.6																																																																																																																																																	
Calcium	%	2.85	3.36	57.0																																																																																																																																																	
Magnesium	%	0.64	0.75	12.8																																																																																																																																																	
Sodium	%	0.050	0.059	1.0																																																																																																																																																	
Micronutrients																																																																																																																																																					
Iron	ppm	10400	12244	20.8																																																																																																																																																	
Manganese	ppm	211	248	0.4																																																																																																																																																	
Boron	ppm	< 100	----	----																																																																																																																																																	
<b>OTHER PROPERTIES</b>																																																																																																																																																					
Moisture	%	15.06																																																																																																																																																			
Total Solids	%	84.94		1698.8																																																																																																																																																	
Organic Matter	%	18.90	22.25	378.0																																																																																																																																																	
Ash	%	65.60	77.23	1312.0																																																																																																																																																	
Total Carbon	%	9.43	11.10																																																																																																																																																		
Chloride	%	0.05	0.06																																																																																																																																																		
pH		7.2																																																																																																																																																			
Conductivity 1:5 (Soluble Salts)	mS/cm	1.58																																																																																																																																																			

13611 B Street • Omaha, Nebraska 68144-3693 • (402) 334-7770 • FAX (402) 334-9121 • www.midwestlabs.com

Lab #	2895226	<b>Biological &amp; Physical Properties</b>			Report Number: 19-056-4127						
<b>Account:</b> 34024	KARLA ADAMI CITY OF LARAMIE WWTP PO BOX C LARAMIE WY 82073			 Robert Ferris Client Service Representative 402-829-9871							
<b>Date Sampled:</b>	2019-02-11			Compost Pkg							
<b>Date Received:</b>	2019-02-12										
<b>Sample ID:</b>	749787-1										
<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 35%;"></th> <th style="width: 15%;">Analysis (as rec'd)</th> <th style="width: 15%;">Analysis (dry weight)</th> <th style="width: 10%;">Units</th> <th style="width: 10%;">Detection Limit</th> <th style="width: 15%;">Method</th> </tr> </thead> </table>							Analysis (as rec'd)	Analysis (dry weight)	Units	Detection Limit	Method
	Analysis (as rec'd)	Analysis (dry weight)	Units	Detection Limit	Method						
<b>Biological Properties</b>											
Germination	100		%	1	TMECC 05.05A						
Germination Vigor	100		%	1	TMECC 05.05A						
CO <sub>2</sub> OM Evolution	0.28		mgCO <sub>2</sub> -C/gOM/day	0.01	TMECC 05.08B						
CO <sub>2</sub> Solids Evolution	0.13		mgCO <sub>2</sub> -C/gTS/day	0.01	TMECC 05.08B						
Fecal Coliform		1	mpn/g	0.2	EPA 1681						
Salmonella		< 0.01	mpn/4g	0.01	EPA 1682						
Stability Rating	Stable		N/A	N/A	TMECC 05.08B						
<b>Physical Properties</b>											
Bulk Density (Loose)	1314		lbs/cu yard	1	WT/VOL						
Bulk Density (Packed)	1618		lbs/cu yard	1	WT/VOL						
Film Plastics	n.d.		%	0.25	Microscopic						
Glass Fragments	n.d.		%	0.25	Microscopic						
Hard Plastics	n.d.		%	0.25	Microscopic						
Metal Fragment	n.d.		%	0.25	Microscopic						
Sharps	Absent		---	---	Microscopic						
Max. Particle Length		0.3	inches	N/A	TMECC Sieve						
Sieve % Passing 3"		100	%	0.01	TMECC Sieve						
Sieve % Passing 2"		100	%	0.01	TMECC Sieve						
Sieve % Passing 1.5"		100	%	0.01	TMECC Sieve						
Sieve % Passing 1"		100	%	0.01	TMECC Sieve						
Sieve % Passing 3/4"		100	%	0.01	TMECC Sieve						
Sieve % Passing 5/8"		100	%	0.01	TMECC Sieve						
Sieve % Passing 3/8"		100	%	0.01	TMECC Sieve						
Sieve % Passing 1/4"		100	%	0.01	TMECC Sieve						

Compost Results Interpretations

Page 1

Report #:

19-056-4127

DATE RECEIVED:

2019-02-12

Organic Matter %		Greater than 20% indicates a desirable range for compost on a dry weight basis.
18.90	As Received	
22.25	Dry Weight	

Compost is a significant source of Organic Matter, which is an important supplier of carbon. Organic Matter improves soil and plant efficiency by improving soil physical properties, providing a source of energy to beneficial organisms, and enhancing the reservoir of soil nutrients.

C/N Ratio		20-30 indicates an ideal range for the initial compost process. 10-20 indicates an ideal range for a finished compost.
10.1:1		

All organic matter is made up of substantial amounts of carbon with lesser amounts of nitrogen. The balance of these two elements is called the Carbon/Nitrogen Ratio. For the best performance, the compost pile requires the correct proportion of carbon for energy and nitrogen for protein production. If the C:N ratio is too high (excess carbon) decomposition slows down. If the C:N ratio is too low (excess Nitrogen) the compost pile could be difficult to manage.

Moisture %		<35% = Indicates overly dry compost  >55% = Indicates overly wet compost
15.06		

Moisture Percent is the measure of water present in the compost and expressed as a percentage of total weight. Moisture present affects handling and transport. Overly dry will be light and dusty while overly wet will be heavy and clumpy. A desirable moisture content of finished compost will range between 40 to 50%.

Compost Results Interpretations

Page 2

Report #:

19-056-4127

DATE RECEIVED:

2019-02-12

Conductivity or Soluble Salts measures the conductance of electrical current in a liquid compost slurry. Excessive soluble salt content in a compost can prevent or delay seed germination and proper root growth. Conductivity analysis is done on a 1:5 basis.

Conductivity 1:5
1.6

Conductivity Level	Interpretation
Greater than 10	Very High nutrient content. Use for Ag Applications
5 - 10	High nutrient content. Use for Ag Applications
3 - 5	Higher than desirable for salt sensitive plants, some loss of vigor
0.6 - 3	Desirable range for most plants
0.3 - 0.6	Ideal range for greenhouse growth media
0.0 - 0.3	Very Low: Indicates very low nutrient status: plants may show deficiencies.

Compost Results Interpretations  
Page 3

Report #: 19-056-4127  
DATE RECEIVED: 2019-02-12

**pH Value**  
7.2

0 to 14 scale with 6 to 8 as normal pH levels for compost  
A pH in the 6 to 8 pH range indicates a more mature compost

pH measures the acidity or alkalinity of the compost, and is a measurement of the hydrogen ion activity of a soil or compost on a logarithmic scale. The pH scale ranges from 0 to 14 and 7 indicates a neutral pH. Growing media with a higher pH or pH greater than 7 can benefit from a compost that has a more acidic pH or pH below 7. This type of application will possibly lower the soil pH making the soil more conducive to plants that thrive in a more acidic soil condition.

**Nutrient Index (Ag Index)**  
>10

The Nutrient Index normally runs between 1 and 10.

The Nutrient Index is obtained by dividing the total nutrients (N,P,K) by the amount of salt (Sodium and Chloride). The higher the Nutrient Index the less chance of having a toxic buildup of Sodium (salt) in the soil.

AG INDEX CHART										
<i>salt injury possible</i>	<i>use on soils with excellent drainage characteristics, good water quality and low salts</i>				<i>you may use on soils with poor drainage, poor water quality, or high salts</i>				<i>for all soils</i>	
1	2	3	4	5	6	7	8	9	10	> 10

**Nutrients (N+P205+K20)**

2.72 Average Nutrient Content Dry Weight  
1-0.5-0.5 Rating As Received

<2 = Low, >5 = High

The most commonly used compost data is the amount of Nitrogen, Phosphate, and Potash (abbreviated as N,P,K) present and the information is similar to that found in common fertilizers. If a compost result has the rating 1-2-2 it means that the compost has 1% Nitrogen, 2% Phosphate and 2% Potash. Most compost tests will have a average nutrient level (N+P+K) of < 5%.

**19-056-4127**

REPORT DATE  
**Feb 25, 2019**  
 RECEIVED DATE  
**Feb 12, 2019**

SEND TO  
**34024**



13611 B Street • Omaha, Nebraska 68144-3693 • (402) 334-7770  
 www.midwestlabs.com

ISSUE DATE  
**Feb 25, 2019**

**CITY OF LARAMIE WWTP  
 KARLA ADAMI  
 PO BOX C  
 LARAMIE WY 82073**

**REPORT OF ANALYSIS**  
 For: (34024) CITY OF LARAMIE WWTP  
 Compost Pkg

Analysis	Level Found		Reporting			Analyst- Date	Verified- Date
	As Received	Dry Weight	Units	Limit	Method		

Sample ID: **749787-1** Lab Number: **2895226** Date Sampled: **2019-02-11 1130**

Cadmium (total)	n.d.	0.55	mg/kg	0.50	EPA 6010	ery3-2019/02/13	bab2-2019/02/15
Chromium (total)	14.1	16.6	mg/kg	1.00	EPA 6010	ery3-2019/02/13	bab2-2019/02/15
Mercury (total)	0.10	0.12	mg/kg	0.05	EPA 7471	pid8-2019/02/14	bab2-2019/02/15
Lead (total)	15.8	18.6	mg/kg	5.0	EPA 6010	ery3-2019/02/13	bab2-2019/02/15
Molybdenum (total)	2.1	2.5	mg/kg	1.0	EPA 6010	ery3-2019/02/13	bab2-2019/02/15
Nickel (total)	9.3	10.9	mg/kg	1.0	EPA 6010	ery3-2019/02/13	bab2-2019/02/15
Selenium (total)	n.d.	n.d.	mg/kg	10.0	EPA 6010	ery3-2019/02/13	bab2-2019/02/15
Zinc (total)	127.1	149.6	mg/kg	2.0	EPA 6010	ery3-2019/02/13	bab2-2019/02/15
Copper (total)	97.7	115	mg/kg	1	EPA 6010	ery3-2019/02/13	bab2-2019/02/15
Arsenic (total)	3.16	3.72	mg/kg	0.5	EPA 6020	ras7-2019/02/14	bab2-2019/02/15
Aluminum (total)	6370	7500	mg/kg	5.0	EPA 6010	ery3-2019/02/13	bab2-2019/02/15
Cobalt (total)	3.18	3.75	mg/kg	1.00	EPA 6010	ery3-2019/02/13	bab2-2019/02/15
Total neutralizing value (CaCO3 eq)	7.3		%	0.1	AOAC 955.01	eaes2-2019/02/14	asl4-2019/02/18

The result(s) issued on this report only reflect the analysis of the sample(s) submitted.

Our reports and letters are for the exclusive and confidential use of our clients and may not be reproduced in whole or in part, nor may any reference be made to the work, the results, or the company in any advertising, news release, or other public announcements without obtaining our prior written authorization.

**19-056-4127**

REPORT DATE  
**Feb 25, 2019**

SEND TO  
**34024**

ISSUE DATE  
**Feb 25, 2019**

RECEIVED DATE  
**Feb 12, 2019**



13611 B Street • Omaha, Nebraska 68144-3693 • (402) 334-7770  
 www.midwestlabs.com

**CITY OF LARAMIE WWTP  
 KARLA ADAMI  
 PO BOX C  
 LARAMIE WY 82073**

**REPORT OF ANALYSIS**  
 For: (34024) CITY OF LARAMIE WWTP  
 Compost Pkg

Analysis	Level Found	As Received	Dry Weight	Units	Reporting Limit	Method	Analyst-Date	Verified-Date
----------	-------------	-------------	------------	-------	-----------------	--------	--------------	---------------

EPA 1681 holding time of < 24 hours from sampling to laboratory set up of samples for biosolids and compost has been exceeded. Individual states enforce different holding times for compost or biosolids so please contact the regulatory body in your state for their requirements.

EPA 1682 holding time of < 6 hours from sampling to laboratory set up of samples for biosolids and compost has been exceeded. If a level of Salmonella was reported, the value would be considered an estimate. Individual states enforce different holding times for compost or biosolids so please contact the regulatory body in your state for their requirements.  
 n.d. = not detected , ppm = parts per million, mg/kg

For questions please contact:

*Heather Ramig*  
 Heather Ramig  
 Account Manager  
 hramig@midwestlabs.com (402)829-9891

The result(s) issued on this report only reflect the analysis of the sample(s) submitted.

Our reports and letters are for the exclusive and confidential use of our clients and may not be reproduced in whole or in part, nor may any reference be made to the work, the results, or the company in any advertising, news release, or other public announcements without obtaining our prior written authorization.

SUBFORM NUMBER:

749787



13611 B Street, Omaha, NE 68144 | midwestlabs.com | (402) 334-7770

ORDER NUMBER:

121265

PAGE 8/9

PAGE:

1

ACCOUNT NO: 34024  
CITY OF LARAMIE WWTP  
KARLA ADAMI  
PO BOX C  
LARAMIE, WY 82073

SAMPLE DESCRIPTION

Compost Pkg

COPY TO:



PO NUMBER:

Automatic Order Submittal Form

PLACED BY: Robert A Ferris

SAMPLE ID	DATE/TIME SAMPLED	MATRIX	TESTS REQUESTED	CONTAINER COUNT	COMMENTS
1 749787-1	11:30am 2-11-19	S	Compost Pkg with narrative	1	2895226
2 749787-2		S	Compost Pkg " "	1	2895227
3 749787-3		S	Compost Pkg " "	1	2895228
4 749787-4		S	Compost Pkg " "	1	2895229
5					
6					
7					
8					
9					
10					

Sampled by (signature) Karla Adami	Temp on Arrival 6.0	Cooler arrived intact?	Relinquished by (signature)	Date/Time	Received by (signature)
Relinquished by (signature) Karla Adami	Date/Time 2-11-19 2pm	Received by (signature)	Relinquished by (signature)	Date/Time	Received in lab (signature)

CHAIN OF CUSTODY

Our reports and letters are for the exclusive and confidential use of our clients and may not be reproduced in whole or in part, nor may any reference be made to the work, the results, or the company in any advertising, news release, or other public announcements without obtaining our prior written authorization.

This report shall not be reproduced, except in its entirety, without the written approval of Midwest Laboratories. The results on this report reflect only the analysis of the samples submitted.





# Sample Acceptance Checklist

Document Number: RC CHKLIST 001

Revision No.: 4

Effective Date: 1/31/2019

Page 1 of 1



Lab Number: \_\_\_\_\_

Thermometer Used:  Therm Fisher IR 11

Cooler Intact:  Yes  No  
Received on Ice:  Yes  No  
Hand Delivered:  Yes  No

Sample Temperature (°C): 6.1

Date & Initials of person accepting samples: EG 2/12/19

						Comments	
Chain of Custody present?	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Sample ID(s):	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Sample Location(s):	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Client contact:	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Analysis Requested:	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Date & Time of collection:	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Sampler name on COC?	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Chain of custody relinquished with signature?	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Chain of custody complete?	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Sample labels match COC?	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Written in indelible ink?	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Labels indicate proper preservation?	<input type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input checked="" type="checkbox"/>	N/A	
Samples arrived within hold time?	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Samples arrived within correct temperature?	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Sufficient volume?	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Appropriate containers used?	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Filtered volume received for dissolved tests?	<input type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input checked="" type="checkbox"/>	N/A	
Headspace in VOA vials?	<input type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input checked="" type="checkbox"/>	N/A	
Trip Blank present?	<input type="checkbox"/>	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>	N/A	


**Client Notification/Resolution:** Date/Time Contacted: \_\_\_\_\_

Person Contacted: \_\_\_\_\_ Contacted By: \_\_\_\_\_


Comments/Resolution: Arrived w/ a less than an hour left on hold time.



13611 B Street • Omaha, Nebraska 68144-3693 • (402) 334-7770 • FAX (402) 334-9121 • www.midwestlabs.com

Lab #	2895227	Report of Analysis		Report Number: 19-056-4128																																																																																																																																																	
<b>Account:</b> 34024	KARLA ADAMI CITY OF LARAMIE WWTP PO BOX C LARAMIE WY 82073		 Robert Ferris Account Manager 402-829-9871																																																																																																																																																		
<b>Date Sampled:</b> <b>Date Received:</b> <b>Sample ID:</b>	2019-02-11 2019-02-12 749787-2																																																																																																																																																				
			Compost Pkg																																																																																																																																																		
Total content, lbs per ton (as rec'd)																																																																																																																																																					
<table border="1"> <thead> <tr> <th></th> <th></th> <th>Analysis (as rec'd)</th> <th>Analysis (dry weight)</th> <th></th> </tr> </thead> <tbody> <tr> <td colspan="5"><b>NUTRIENTS</b></td> </tr> <tr> <td colspan="5">Nitrogen</td> </tr> <tr> <td>Total Nitrogen</td> <td>%</td> <td>1.09</td> <td>1.27</td> <td>21.8</td> </tr> <tr> <td>Organic Nitrogen</td> <td>%</td> <td>0.97</td> <td>1.13</td> <td>19.4</td> </tr> <tr> <td>Ammonium Nitrogen</td> <td>%</td> <td>0.120</td> <td>0.139</td> <td>2.4</td> </tr> <tr> <td>Nitrate Nitrogen</td> <td>%</td> <td>&lt; 0.01</td> <td>----</td> <td>----</td> </tr> <tr> <td colspan="5">Major and Secondary Nutrients</td> </tr> <tr> <td>Phosphorus</td> <td>%</td> <td>0.34</td> <td>0.39</td> <td>6.8</td> </tr> <tr> <td>Phosphorus as P2O5</td> <td>%</td> <td>0.78</td> <td>0.91</td> <td>15.6</td> </tr> <tr> <td>Potassium</td> <td>%</td> <td>0.62</td> <td>0.72</td> <td>12.4</td> </tr> <tr> <td>Potassium as K2O</td> <td>%</td> <td>0.75</td> <td>0.87</td> <td>15.0</td> </tr> <tr> <td>Sulfur</td> <td>%</td> <td>0.26</td> <td>0.30</td> <td>5.2</td> </tr> <tr> <td>Calcium</td> <td>%</td> <td>3.08</td> <td>3.58</td> <td>61.6</td> </tr> <tr> <td>Magnesium</td> <td>%</td> <td>0.73</td> <td>0.85</td> <td>14.6</td> </tr> <tr> <td>Sodium</td> <td>%</td> <td>0.050</td> <td>0.058</td> <td>1.0</td> </tr> <tr> <td colspan="5">Micronutrients</td> </tr> <tr> <td>Iron</td> <td>ppm</td> <td>10800</td> <td>12536</td> <td>21.6</td> </tr> <tr> <td>Manganese</td> <td>ppm</td> <td>236</td> <td>274</td> <td>0.5</td> </tr> <tr> <td>Boron</td> <td>ppm</td> <td>&lt; 100</td> <td>----</td> <td>----</td> </tr> <tr> <td colspan="5"><b>OTHER PROPERTIES</b></td> </tr> <tr> <td>Moisture</td> <td>%</td> <td>13.85</td> <td></td> <td></td> </tr> <tr> <td>Total Solids</td> <td>%</td> <td>86.15</td> <td></td> <td>1723.0</td> </tr> <tr> <td>Organic Matter</td> <td>%</td> <td>19.60</td> <td>22.75</td> <td>392.0</td> </tr> <tr> <td>Ash</td> <td>%</td> <td>66.10</td> <td>76.73</td> <td>1322.0</td> </tr> <tr> <td>Total Carbon</td> <td>%</td> <td>11.14</td> <td>12.93</td> <td></td> </tr> <tr> <td>Chloride</td> <td>%</td> <td>0.08</td> <td>0.09</td> <td></td> </tr> <tr> <td>pH</td> <td></td> <td>7.3</td> <td></td> <td></td> </tr> <tr> <td>Conductivity 1:5 (Soluble Salts)</td> <td>mS/cm</td> <td>1.48</td> <td></td> <td></td> </tr> </tbody> </table>							Analysis (as rec'd)	Analysis (dry weight)		<b>NUTRIENTS</b>					Nitrogen					Total Nitrogen	%	1.09	1.27	21.8	Organic Nitrogen	%	0.97	1.13	19.4	Ammonium Nitrogen	%	0.120	0.139	2.4	Nitrate Nitrogen	%	< 0.01	----	----	Major and Secondary Nutrients					Phosphorus	%	0.34	0.39	6.8	Phosphorus as P2O5	%	0.78	0.91	15.6	Potassium	%	0.62	0.72	12.4	Potassium as K2O	%	0.75	0.87	15.0	Sulfur	%	0.26	0.30	5.2	Calcium	%	3.08	3.58	61.6	Magnesium	%	0.73	0.85	14.6	Sodium	%	0.050	0.058	1.0	Micronutrients					Iron	ppm	10800	12536	21.6	Manganese	ppm	236	274	0.5	Boron	ppm	< 100	----	----	<b>OTHER PROPERTIES</b>					Moisture	%	13.85			Total Solids	%	86.15		1723.0	Organic Matter	%	19.60	22.75	392.0	Ash	%	66.10	76.73	1322.0	Total Carbon	%	11.14	12.93		Chloride	%	0.08	0.09		pH		7.3			Conductivity 1:5 (Soluble Salts)	mS/cm	1.48		
		Analysis (as rec'd)	Analysis (dry weight)																																																																																																																																																		
<b>NUTRIENTS</b>																																																																																																																																																					
Nitrogen																																																																																																																																																					
Total Nitrogen	%	1.09	1.27	21.8																																																																																																																																																	
Organic Nitrogen	%	0.97	1.13	19.4																																																																																																																																																	
Ammonium Nitrogen	%	0.120	0.139	2.4																																																																																																																																																	
Nitrate Nitrogen	%	< 0.01	----	----																																																																																																																																																	
Major and Secondary Nutrients																																																																																																																																																					
Phosphorus	%	0.34	0.39	6.8																																																																																																																																																	
Phosphorus as P2O5	%	0.78	0.91	15.6																																																																																																																																																	
Potassium	%	0.62	0.72	12.4																																																																																																																																																	
Potassium as K2O	%	0.75	0.87	15.0																																																																																																																																																	
Sulfur	%	0.26	0.30	5.2																																																																																																																																																	
Calcium	%	3.08	3.58	61.6																																																																																																																																																	
Magnesium	%	0.73	0.85	14.6																																																																																																																																																	
Sodium	%	0.050	0.058	1.0																																																																																																																																																	
Micronutrients																																																																																																																																																					
Iron	ppm	10800	12536	21.6																																																																																																																																																	
Manganese	ppm	236	274	0.5																																																																																																																																																	
Boron	ppm	< 100	----	----																																																																																																																																																	
<b>OTHER PROPERTIES</b>																																																																																																																																																					
Moisture	%	13.85																																																																																																																																																			
Total Solids	%	86.15		1723.0																																																																																																																																																	
Organic Matter	%	19.60	22.75	392.0																																																																																																																																																	
Ash	%	66.10	76.73	1322.0																																																																																																																																																	
Total Carbon	%	11.14	12.93																																																																																																																																																		
Chloride	%	0.08	0.09																																																																																																																																																		
pH		7.3																																																																																																																																																			
Conductivity 1:5 (Soluble Salts)	mS/cm	1.48																																																																																																																																																			

13611 B Street • Omaha, Nebraska 68144-3693 • (402) 334-7770 • FAX (402) 334-9121 • www.midwestlabs.com

Lab #	2895227	<b>Biological &amp; Physical Properties</b>			Report Number: 19-056-4128						
<b>Account:</b> 34024	KARLA ADAMI CITY OF LARAMIE WWTP PO BOX C LARAMIE WY 82073			 Robert Ferris Client Service Representative 402-829-9871							
<b>Date Sampled:</b>	2019-02-11			Compost Pkg							
<b>Date Received:</b>	2019-02-12										
<b>Sample ID:</b>	749787-2										
<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 35%;"></th> <th style="width: 15%;">Analysis (as rec'd)</th> <th style="width: 15%;">Analysis (dry weight)</th> <th style="width: 10%;">Units</th> <th style="width: 10%;">Detection Limit</th> <th style="width: 15%;">Method</th> </tr> </thead> </table>							Analysis (as rec'd)	Analysis (dry weight)	Units	Detection Limit	Method
	Analysis (as rec'd)	Analysis (dry weight)	Units	Detection Limit	Method						
<b>Biological Properties</b>											
Germination	100		%	1	TMECC 05.05A						
Germination Vigor	100		%	1	TMECC 05.05A						
CO <sub>2</sub> OM Evolution	0.4		mgCO <sub>2</sub> -C/gOM/day	0.01	TMECC 05.08B						
CO <sub>2</sub> Solids Evolution	0.2		mgCO <sub>2</sub> -C/gTS/day	0.01	TMECC 05.08B						
Fecal Coliform		< 0.2	mpn/g	0.2	EPA 1681						
Salmonella		< 0.01	mpn/4g	0.01	EPA 1682						
Stability Rating	Stable		N/A	N/A	TMECC 05.08B						
<b>Physical Properties</b>											
Bulk Density (Loose)	1365		lbs/cu yard	1	WT/VOL						
Bulk Density (Packed)	1668		lbs/cu yard	1	WT/VOL						
Film Plastics	n.d.		%	0.25	Microscopic						
Glass Fragments	n.d.		%	0.25	Microscopic						
Hard Plastics	n.d.		%	0.25	Microscopic						
Metal Fragment	n.d.		%	0.25	Microscopic						
Sharps	Absent		---	---	Microscopic						
Max. Particle Length		1.0	inches	N/A	TMECC Sieve						
Sieve % Passing 3"		100	%	0.01	TMECC Sieve						
Sieve % Passing 2"		100	%	0.01	TMECC Sieve						
Sieve % Passing 1.5"		100	%	0.01	TMECC Sieve						
Sieve % Passing 1"		100	%	0.01	TMECC Sieve						
Sieve % Passing 3/4"		100	%	0.01	TMECC Sieve						
Sieve % Passing 5/8"		100	%	0.01	TMECC Sieve						
Sieve % Passing 3/8"		100	%	0.01	TMECC Sieve						
Sieve % Passing 1/4"		100	%	0.01	TMECC Sieve						

Compost Results Interpretations

Page 1

Report #:

19-056-4128

DATE RECEIVED:

2019-02-12

Organic Matter %		Greater than 20% indicates a desirable range for compost on a dry weight basis.
19.60	As Received	
22.75	Dry Weight	

Compost is a significant source of Organic Matter, which is an important supplier of carbon. Organic Matter improves soil and plant efficiency by improving soil physical properties, providing a source of energy to beneficial organisms, and enhancing the reservoir of soil nutrients.

C/N Ratio		20-30 indicates an ideal range for the initial compost process. 10-20 indicates an ideal range for a finished compost.
10.2:1		

All organic matter is made up of substantial amounts of carbon with lesser amounts of nitrogen. The balance of these two elements is called the Carbon/Nitrogen Ratio. For the best performance, the compost pile requires the correct proportion of carbon for energy and nitrogen for protein production. If the C:N ratio is too high (excess carbon) decomposition slows down. If the C:N ratio is too low (excess Nitrogen) the compost pile could be difficult to manage.

Moisture %		<35% = Indicates overly dry compost
13.85		

>55% = Indicates overly wet compost

Moisture Percent is the measure of water present in the compost and expressed as a percentage of total weight. Moisture present affects handling and transport. Overly dry will be light and dusty while overly wet will be heavy and clumpy. A desirable moisture content of finished compost will range between 40 to 50%.

Compost Results Interpretations

Page 2

Report #:

19-056-4128

DATE RECEIVED:

2019-02-12

Conductivity or Soluble Salts measures the conductance of electrical current in a liquid compost slurry. Excessive soluble salt content in a compost can prevent or delay seed germination and proper root growth. Conductivity analysis is done on a 1:5 basis.

Conductivity 1:5	
1.5	
Conductivity Level	Interpretation
Greater than 10	Very High nutrient content. Use for Ag Applications
5 - 10	High nutrient content. Use for Ag Applications
3 - 5	Higher than desirable for salt sensitive plants, some loss of vigor
0.6 - 3	Desirable range for most plants
0.3 - 0.6	Ideal range for greenhouse growth media
0.0 - 0.3	Very Low: Indicates very low nutrient status: plants may show deficiencies.

Compost Results Interpretations  
Page 3

Report #: 19-056-4128  
DATE RECEIVED: 2019-02-12

pH Value  
7.3

0 to 14 scale with 6 to 8 as normal pH levels for compost  
A pH in the 6 to 8 pH range indicates a more mature compost

pH measures the acidity or alkalinity of the compost, and is a measurement of the hydrogen ion activity of a soil or compost on a logarithmic scale. The pH scale ranges from 0 to 14 and 7 indicates a neutral pH. Growing media with a higher pH or pH greater than 7 can benefit from a compost that has a more acidic pH or pH below 7. This type of application will possibly lower the soil pH making the soil more conducive to plants that thrive in a more acidic soil condition.

Nutrient Index (Ag Index)  
>10

The Nutrient Index normally runs between 1 and 10.

The Nutrient Index is obtained by dividing the total nutrients (N,P,K) by the amount of salt (Sodium and Chloride). The higher the Nutrient Index the less chance of having a toxic buildup of Sodium (salt) in the soil.

AG INDEX CHART										
<i>salt injury possible</i>	<i>use on soils with excellent drainage characteristics, good water quality and low salts</i>				<i>you may use on soils with poor drainage, poor water quality, or high salts</i>				<i>for all soils</i>	
1	2	3	4	5	6	7	8	9	10	> 10

Nutrients (N+P205+K20)  
3.04 Average Nutrient Content Dry Weight <2 = Low, >5 = High  
1-1-1 Rating As Received

The most commonly used compost data is the amount of Nitrogen, Phosphate, and Potash (abbreviated as N,P,K) present and the information is similar to that found in common fertilizers. If a compost result has the rating 1-2-2 it means that the compost has 1% Nitrogen, 2% Phosphate and 2% Potash. Most compost tests will have a average nutrient level (N+P+K) of < 5%.

**19-056-4128****PAGE 6/9**

REPORT DATE

**Feb 25, 2019**

SEND TO

**34024**

RECEIVED DATE

**Feb 12, 2019**

13611 B Street • Omaha, Nebraska 68144-3693 • (402) 334-7770  
www.midwestlabs.com

ISSUE DATE  
**Feb 25, 2019**

**CITY OF LARAMIE WWTP  
KARLA ADAMI  
PO BOX C  
LARAMIE WY 82073**

**REPORT OF ANALYSIS**  
For: (34024) CITY OF LARAMIE WWTP  
Compost Pkg

Analysis	Level Found		Reporting			Analyst- Date	Verified- Date
	As Received	Dry Weight	Units	Limit	Method		
Sample ID: <b>749787-2</b>	Lab Number: <b>2895227</b>		Date Sampled: <b>2019-02-11 1130</b>				
Cadmium (total)	0.57	0.66	mg/kg	0.50	EPA 6010	ery3-2019/02/13	bab2-2019/02/15
Chromium (total)	13.8	16.0	mg/kg	1.00	EPA 6010	ery3-2019/02/13	bab2-2019/02/15
Mercury (total)	0.10	0.12	mg/kg	0.05	EPA 7471	pid8-2019/02/14	bab2-2019/02/15
Lead (total)	14.3	16.6	mg/kg	5.0	EPA 6010	ery3-2019/02/13	bab2-2019/02/15
Molybdenum (total)	2.1	2.4	mg/kg	1.0	EPA 6010	ery3-2019/02/13	bab2-2019/02/15
Nickel (total)	10.2	11.8	mg/kg	1.0	EPA 6010	ery3-2019/02/13	bab2-2019/02/15
Selenium (total)	n.d.	n.d.	mg/kg	10.0	EPA 6010	ery3-2019/02/13	bab2-2019/02/15
Zinc (total)	137.0	159.0	mg/kg	2.0	EPA 6010	ery3-2019/02/13	bab2-2019/02/15
Copper (total)	104	121	mg/kg	1	EPA 6010	ery3-2019/02/13	bab2-2019/02/15
Arsenic (total)	3.19	3.70	mg/kg	0.5	EPA 6020	ras7-2019/02/14	bab2-2019/02/15
Aluminum (total)	7400	8590	mg/kg	5.0	EPA 6010	ery3-2019/02/13	bab2-2019/02/15
Cobalt (total)	3.58	4.16	mg/kg	1.00	EPA 6010	ery3-2019/02/13	bab2-2019/02/15
Total neutralizing value (CaCO3 eq)	6.5		%	0.1	AOAC 955.01	ees2-2019/02/14	asl4-2019/02/18

The result(s) issued on this report only reflect the analysis of the sample(s) submitted.

Our reports and letters are for the exclusive and confidential use of our clients and may not be reproduced in whole or in part, nor may any reference be made to the work, the results, or the company in any advertising, news release, or other public announcements without obtaining our prior written authorization.

**19-056-4128**

REPORT DATE  
**Feb 25, 2019**

SEND TO  
**34024**

ISSUE DATE  
**Feb 25, 2019**

RECEIVED DATE  
**Feb 12, 2019**



13611 B Street • Omaha, Nebraska 68144-3693 • (402) 334-7770  
 www.midwestlabs.com

**CITY OF LARAMIE WWTP  
 KARLA ADAMI  
 PO BOX C  
 LARAMIE WY 82073**

**REPORT OF ANALYSIS**  
 For: (34024) CITY OF LARAMIE WWTP  
 Compost Pkg

Analysis	Level Found	As Received	Dry Weight	Units	Reporting Limit	Method	Analyst-Date	Verified-Date
----------	-------------	-------------	------------	-------	-----------------	--------	--------------	---------------

EPA 1681 holding time of < 24 hours from sampling to laboratory set up of samples for biosolids and compost has been exceeded. Individual states enforce different holding times for compost or biosolids so please contact the regulatory body in your state for their requirements.

EPA 1682 holding time of < 6 hours from sampling to laboratory set up of samples for biosolids and compost has been exceeded. If a level of Salmonella was reported, the value would be considered an estimate. Individual states enforce different holding times for compost or biosolids so please contact the regulatory body in your state for their requirements.  
 n.d. = not detected , ppm = parts per million, mg/kg

For questions please contact:

*Heather Ramig*  
 Heather Ramig  
 Account Manager  
 hramig@midwestlabs.com (402)829-9891

The result(s) issued on this report only reflect the analysis of the sample(s) submitted.

Our reports and letters are for the exclusive and confidential use of our clients and may not be reproduced in whole or in part, nor may any reference be made to the work, the results, or the company in any advertising, news release, or other public announcements without obtaining our prior written authorization.



SUBFORM NUMBER:

749787



13611 B Street, Omaha, NE 68144 | midwestlabs.com | (402) 334-7770

ORDER NUMBER:

121265

PAGE 8/9

PAGE:

1

ACCOUNT NO: 34024  
CITY OF LARAMIE WWTP  
KARLA ADAMI  
PO BOX C  
LARAMIE, WY 82073

SAMPLE DESCRIPTION

Compost Pkg

COPY TO:



PO NUMBER:

Automatic Order Submittal Form

PLACED BY: Robert A Ferris

SAMPLE ID	DATE/TIME SAMPLED	MATRIX	TESTS REQUESTED	CONTAINER COUNT	COMMENTS
1 749787-1	11:30am 2-11-19	S	Compost Pkg with narrative	1	2895226
2 749787-2		S	Compost Pkg " "	1	2895227
3 749787-3		S	Compost Pkg " "	1	2895228
4 749787-4		S	Compost Pkg " "	1	2895229
5					
6					
7					
8					
9					
10					

Sampled by (signature) Karla Adami	Temp on Arrival 6.0	Cooler arrived intact?	Relinquished by (signature)	Date/Time	Received by (signature)
Relinquished by (signature) Karla Adami	Date/Time 2-11-19 2pm	Received by (signature)	Relinquished by (signature)	Date/Time	Received in lab (signature)

CHAIN OF CUSTODY

Our reports and letters are for the exclusive and confidential use of our clients and may not be reproduced in whole or in part, nor may any reference be made to the work, the results, or the company in any advertising, news release, or other public announcements without obtaining our prior written authorization.

This report shall not be reproduced, except in its entirety, without the written approval of Midwest Laboratories. The results on this report reflect only the analysis of the samples submitted.



Sample Acceptance Checklist

Document Number: RC CHKLIST 001

Revision No.: 4

Effective Date: 1/31/2019

Page 1 of 1



Lab Number:

Thermometer Used:  Therm Fisher IR 11

Cooler Intact:  Yes  No  
Received on Ice:  Yes  No  
Hand Delivered:  Yes  No

Sample Temperature (°C): 6.1

Date & Initials of person accepting samples: EG 2/12/19

						Comments	
Chain of Custody present?	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Sample ID(s):	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Sample Location(s):	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Client contact:	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Analysis Requested:	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Date & Time of collection:	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Sampler name on COC?	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Chain of custody relinquished with signature?	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Chain of custody complete?	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Sample labels match COC?	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Written in indelible ink?	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Labels indicate proper preservation?	<input type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input checked="" type="checkbox"/>	N/A	
Samples arrived within hold time?	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Samples arrived within correct temperature?	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Sufficient volume?	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Appropriate containers used?	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Filtered volume received for dissolved tests?	<input type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input checked="" type="checkbox"/>	N/A	
Headspace in VOA vials?	<input type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input checked="" type="checkbox"/>	N/A	
Trip Blank present?	<input type="checkbox"/>	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>	N/A	


Client Notification/Resolution: Date/Time Contacted: \_\_\_\_\_

Person Contacted: \_\_\_\_\_ Contacted By: \_\_\_\_\_


Comments/Resolution: Arrived w/ a less than an hour left on hold time.



13611 B Street • Omaha, Nebraska 68144-3693 • (402) 334-7770 • FAX (402) 334-9121 • www.midwestlabs.com

Lab #	2895228	Report of Analysis		Report Number: 19-056-4129																																																																																																																																																	
<b>Account:</b> 34024	KARLA ADAMI CITY OF LARAMIE WWTP PO BOX C LARAMIE WY 82073		 Robert Ferris Account Manager 402-829-9871																																																																																																																																																		
<b>Date Sampled:</b> <b>Date Received:</b> <b>Sample ID:</b>	2019-02-11 2019-02-12 749787-3																																																																																																																																																				
			Compost Pkg																																																																																																																																																		
Total content, lbs per ton (as rec'd)																																																																																																																																																					
<table border="1"> <thead> <tr> <th></th> <th></th> <th>Analysis (as rec'd)</th> <th>Analysis (dry weight)</th> <th></th> </tr> </thead> <tbody> <tr> <td colspan="5"><b>NUTRIENTS</b></td> </tr> <tr> <td colspan="5">Nitrogen</td> </tr> <tr> <td>Total Nitrogen</td> <td>%</td> <td>0.98</td> <td>1.15</td> <td>19.6</td> </tr> <tr> <td>Organic Nitrogen</td> <td>%</td> <td>0.85</td> <td>0.99</td> <td>16.9</td> </tr> <tr> <td>Ammonium Nitrogen</td> <td>%</td> <td>0.134</td> <td>0.157</td> <td>2.7</td> </tr> <tr> <td>Nitrate Nitrogen</td> <td>%</td> <td>&lt; 0.01</td> <td>----</td> <td>----</td> </tr> <tr> <td colspan="5">Major and Secondary Nutrients</td> </tr> <tr> <td>Phosphorus</td> <td>%</td> <td>0.30</td> <td>0.35</td> <td>6.0</td> </tr> <tr> <td>Phosphorus as P2O5</td> <td>%</td> <td>0.69</td> <td>0.81</td> <td>13.8</td> </tr> <tr> <td>Potassium</td> <td>%</td> <td>0.56</td> <td>0.66</td> <td>11.2</td> </tr> <tr> <td>Potassium as K2O</td> <td>%</td> <td>0.67</td> <td>0.78</td> <td>13.4</td> </tr> <tr> <td>Sulfur</td> <td>%</td> <td>0.24</td> <td>0.28</td> <td>4.8</td> </tr> <tr> <td>Calcium</td> <td>%</td> <td>2.99</td> <td>3.50</td> <td>59.8</td> </tr> <tr> <td>Magnesium</td> <td>%</td> <td>0.65</td> <td>0.76</td> <td>13.0</td> </tr> <tr> <td>Sodium</td> <td>%</td> <td>0.040</td> <td>0.047</td> <td>0.8</td> </tr> <tr> <td colspan="5">Micronutrients</td> </tr> <tr> <td>Iron</td> <td>ppm</td> <td>10700</td> <td>12519</td> <td>21.4</td> </tr> <tr> <td>Manganese</td> <td>ppm</td> <td>214</td> <td>250</td> <td>0.4</td> </tr> <tr> <td>Boron</td> <td>ppm</td> <td>&lt; 100</td> <td>----</td> <td>----</td> </tr> <tr> <td colspan="5"><b>OTHER PROPERTIES</b></td> </tr> <tr> <td>Moisture</td> <td>%</td> <td>14.53</td> <td></td> <td></td> </tr> <tr> <td>Total Solids</td> <td>%</td> <td>85.47</td> <td></td> <td>1709.4</td> </tr> <tr> <td>Organic Matter</td> <td>%</td> <td>18.00</td> <td>21.06</td> <td>360.0</td> </tr> <tr> <td>Ash</td> <td>%</td> <td>67.10</td> <td>78.51</td> <td>1342.0</td> </tr> <tr> <td>Total Carbon</td> <td>%</td> <td>9.72</td> <td>11.37</td> <td></td> </tr> <tr> <td>Chloride</td> <td>%</td> <td>0.07</td> <td>0.08</td> <td></td> </tr> <tr> <td>pH</td> <td></td> <td>7.2</td> <td></td> <td></td> </tr> <tr> <td>Conductivity 1:5 (Soluble Salts)</td> <td>mS/cm</td> <td>1.63</td> <td></td> <td></td> </tr> </tbody> </table>							Analysis (as rec'd)	Analysis (dry weight)		<b>NUTRIENTS</b>					Nitrogen					Total Nitrogen	%	0.98	1.15	19.6	Organic Nitrogen	%	0.85	0.99	16.9	Ammonium Nitrogen	%	0.134	0.157	2.7	Nitrate Nitrogen	%	< 0.01	----	----	Major and Secondary Nutrients					Phosphorus	%	0.30	0.35	6.0	Phosphorus as P2O5	%	0.69	0.81	13.8	Potassium	%	0.56	0.66	11.2	Potassium as K2O	%	0.67	0.78	13.4	Sulfur	%	0.24	0.28	4.8	Calcium	%	2.99	3.50	59.8	Magnesium	%	0.65	0.76	13.0	Sodium	%	0.040	0.047	0.8	Micronutrients					Iron	ppm	10700	12519	21.4	Manganese	ppm	214	250	0.4	Boron	ppm	< 100	----	----	<b>OTHER PROPERTIES</b>					Moisture	%	14.53			Total Solids	%	85.47		1709.4	Organic Matter	%	18.00	21.06	360.0	Ash	%	67.10	78.51	1342.0	Total Carbon	%	9.72	11.37		Chloride	%	0.07	0.08		pH		7.2			Conductivity 1:5 (Soluble Salts)	mS/cm	1.63		
		Analysis (as rec'd)	Analysis (dry weight)																																																																																																																																																		
<b>NUTRIENTS</b>																																																																																																																																																					
Nitrogen																																																																																																																																																					
Total Nitrogen	%	0.98	1.15	19.6																																																																																																																																																	
Organic Nitrogen	%	0.85	0.99	16.9																																																																																																																																																	
Ammonium Nitrogen	%	0.134	0.157	2.7																																																																																																																																																	
Nitrate Nitrogen	%	< 0.01	----	----																																																																																																																																																	
Major and Secondary Nutrients																																																																																																																																																					
Phosphorus	%	0.30	0.35	6.0																																																																																																																																																	
Phosphorus as P2O5	%	0.69	0.81	13.8																																																																																																																																																	
Potassium	%	0.56	0.66	11.2																																																																																																																																																	
Potassium as K2O	%	0.67	0.78	13.4																																																																																																																																																	
Sulfur	%	0.24	0.28	4.8																																																																																																																																																	
Calcium	%	2.99	3.50	59.8																																																																																																																																																	
Magnesium	%	0.65	0.76	13.0																																																																																																																																																	
Sodium	%	0.040	0.047	0.8																																																																																																																																																	
Micronutrients																																																																																																																																																					
Iron	ppm	10700	12519	21.4																																																																																																																																																	
Manganese	ppm	214	250	0.4																																																																																																																																																	
Boron	ppm	< 100	----	----																																																																																																																																																	
<b>OTHER PROPERTIES</b>																																																																																																																																																					
Moisture	%	14.53																																																																																																																																																			
Total Solids	%	85.47		1709.4																																																																																																																																																	
Organic Matter	%	18.00	21.06	360.0																																																																																																																																																	
Ash	%	67.10	78.51	1342.0																																																																																																																																																	
Total Carbon	%	9.72	11.37																																																																																																																																																		
Chloride	%	0.07	0.08																																																																																																																																																		
pH		7.2																																																																																																																																																			
Conductivity 1:5 (Soluble Salts)	mS/cm	1.63																																																																																																																																																			

13611 B Street • Omaha, Nebraska 68144-3693 • (402) 334-7770 • FAX (402) 334-9121 • www.midwestlabs.com

Lab #	2895228	<b>Biological &amp; Physical Properties</b>			Report Number: 19-056-4129						
<b>Account:</b> 34024	KARLA ADAMI CITY OF LARAMIE WWTP PO BOX C LARAMIE WY 82073			 Robert Ferris Client Service Representative 402-829-9871							
<b>Date Sampled:</b>	2019-02-11			Compost Pkg							
<b>Date Received:</b>	2019-02-12										
<b>Sample ID:</b>	749787-3										
<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 30%;"></th> <th style="width: 15%;">Analysis (as rec'd)</th> <th style="width: 15%;">Analysis (dry weight)</th> <th style="width: 10%;">Units</th> <th style="width: 10%;">Detection Limit</th> <th style="width: 20%;">Method</th> </tr> </thead> </table>							Analysis (as rec'd)	Analysis (dry weight)	Units	Detection Limit	Method
	Analysis (as rec'd)	Analysis (dry weight)	Units	Detection Limit	Method						
<b>Biological Properties</b>											
Germination	88.9		%	1	TMECC 05.05A						
Germination Vigor	100		%	1	TMECC 05.05A						
CO <sub>2</sub> OM Evolution	0.55		mgCO <sub>2</sub> -C/gOM/day	0.01	TMECC 05.08B						
CO <sub>2</sub> Solids Evolution	0.26		mgCO <sub>2</sub> -C/gTS/day	0.01	TMECC 05.08B						
Fecal Coliform		< 0.2	mpn/g	0.2	EPA 1681						
Salmonella		< 0.01	mpn/4g	0.01	EPA 1682						
Stability Rating	Stable		N/A	N/A	TMECC 05.08B						
<b>Physical Properties</b>											
Bulk Density (Loose)	1348		lbs/cu yard	1	WT/VOL						
Bulk Density (Packed)	1651		lbs/cu yard	1	WT/VOL						
Film Plastics	n.d.		%	0.25	Microscopic						
Glass Fragments	n.d.		%	0.25	Microscopic						
Hard Plastics	n.d.		%	0.25	Microscopic						
Metal Fragment	n.d.		%	0.25	Microscopic						
Sharps	Absent		---	---	Microscopic						
Max. Particle Length		1.5	inches	N/A	TMECC Sieve						
Sieve % Passing 3"		100	%	0.01	TMECC Sieve						
Sieve % Passing 2"		100	%	0.01	TMECC Sieve						
Sieve % Passing 1.5"		100	%	0.01	TMECC Sieve						
Sieve % Passing 1"		100	%	0.01	TMECC Sieve						
Sieve % Passing 3/4"		100	%	0.01	TMECC Sieve						
Sieve % Passing 5/8"		100	%	0.01	TMECC Sieve						
Sieve % Passing 3/8"		100	%	0.01	TMECC Sieve						
Sieve % Passing 1/4"		100	%	0.01	TMECC Sieve						

Compost Results Interpretations

Page 1

Report #:

19-056-4129

DATE RECEIVED:

2019-02-12

Organic Matter %		Greater than 20% indicates a desirable range for compost on a dry weight basis.
18.00	As Received	
21.06	Dry Weight	

Compost is a significant source of Organic Matter, which is an important supplier of carbon. Organic Matter improves soil and plant efficiency by improving soil physical properties, providing a source of energy to beneficial organisms, and enhancing the reservoir of soil nutrients.

C/N Ratio		20-30 indicates an ideal range for the initial compost process. 10-20 indicates an ideal range for a finished compost.
9.9:1		

All organic matter is made up of substantial amounts of carbon with lesser amounts of nitrogen. The balance of these two elements is called the Carbon/Nitrogen Ratio. For the best performance, the compost pile requires the correct proportion of carbon for energy and nitrogen for protein production. If the C:N ratio is too high (excess carbon) decomposition slows down. If the C:N ratio is too low (excess Nitrogen) the compost pile could be difficult to manage.

Moisture %		<35% = Indicates overly dry compost  >55% = Indicates overly wet compost
14.53		

Moisture Percent is the measure of water present in the compost and expressed as a percentage of total weight. Moisture present affects handling and transport. Overly dry will be light and dusty while overly wet will be heavy and clumpy. A desirable moisture content of finished compost will range between 40 to 50%.

Compost Results Interpretations

Page 2

Report #:

19-056-4129

DATE RECEIVED:

2019-02-12

Conductivity or Soluble Salts measures the conductance of electrical current in a liquid compost slurry. Excessive soluble salt content in a compost can prevent or delay seed germination and proper root growth. Conductivity analysis is done on a 1:5 basis.

Conductivity 1:5	
1.6	
<b>Conductivity Level</b>	<b>Interpretation</b>
Greater than 10	Very High nutrient content. Use for Ag Applications
5 - 10	High nutrient content. Use for Ag Applications
3 - 5	Higher than desirable for salt sensitive plants, some loss of vigor
0.6 - 3	Desirable range for most plants
0.3 - 0.6	Ideal range for greenhouse growth media
0.0 - 0.3	Very Low: Indicates very low nutrient status: plants may show deficiencies.

Compost Results Interpretations  
Page 3

Report #: 19-056-4129  
DATE RECEIVED: 2019-02-12

**pH Value**  
7.2

0 to 14 scale with 6 to 8 as normal pH levels for compost  
A pH in the 6 to 8 pH range indicates a more mature compost

pH measures the acidity or alkalinity of the compost, and is a measurement of the hydrogen ion activity of a soil or compost on a logarithmic scale. The pH scale ranges from 0 to 14 and 7 indicates a neutral pH. Growing media with a higher pH or pH greater than 7 can benefit from a compost that has a more acidic pH or pH below 7. This type of application will possibly lower the soil pH making the soil more conducive to plants that thrive in a more acidic soil condition.

**Nutrient Index (Ag Index)**  
>10

The Nutrient Index normally runs between 1 and 10.

The Nutrient Index is obtained by dividing the total nutrients (N,P,K) by the amount of salt (Sodium and Chloride). The higher the Nutrient Index the less chance of having a toxic buildup of Sodium (salt) in the soil.

AG INDEX CHART										
<i>salt injury possible</i>	<i>use on soils with excellent drainage characteristics, good water quality and low salts</i>				<i>you may use on soils with poor drainage, poor water quality, or high salts</i>				<i>for all soils</i>	
1	2	3	4	5	6	7	8	9	10	> 10

**Nutrients (N+P205+K20)**

2.74 Average Nutrient Content Dry Weight <2 = Low, >5 = High  
1-0.5-0.5 Rating As Received

The most commonly used compost data is the amount of Nitrogen, Phosphate, and Potash (abbreviated as N,P,K) present and the information is similar to that found in common fertilizers. If a compost result has the rating 1-2-2 it means that the compost has 1% Nitrogen, 2% Phosphate and 2% Potash. Most compost tests will have a average nutrient level (N+P+K) of < 5%.

**19-056-4129**

REPORT DATE  
Feb 25, 2019

SEND TO  
34024

ISSUE DATE  
Feb 25, 2019

RECEIVED DATE  
Feb 12, 2019



13611 B Street • Omaha, Nebraska 68144-3693 • (402) 334-7770  
www.midwestlabs.com

**CITY OF LARAMIE WWTP**  
**KARLA ADAMI**  
**PO BOX C**  
**LARAMIE WY 82073**

**REPORT OF ANALYSIS**  
For: (34024) CITY OF LARAMIE WWTP  
Compost Pkg

Analysis	Level Found		Reporting			Analyst- Date	Verified- Date
	As Received	Dry Weight	Units	Limit	Method		

Sample ID: **749787-3** Lab Number: **2895228** Date Sampled: **2019-02-11 1130**

Cadmium (total)	n.d.	0.58	mg/kg	0.50	EPA 6010	ery3-2019/02/13	bab2-2019/02/15
Chromium (total)	14.2	16.6	mg/kg	1.00	EPA 6010	ery3-2019/02/13	bab2-2019/02/15
Mercury (total)	0.11	0.13	mg/kg	0.05	EPA 7471	pid8-2019/02/14	bab2-2019/02/15
Lead (total)	13.1	15.3	mg/kg	5.0	EPA 6010	ery3-2019/02/13	bab2-2019/02/15
Molybdenum (total)	3.3	3.9	mg/kg	1.0	EPA 6010	ery3-2019/02/13	bab2-2019/02/15
Nickel (total)	9.1	10.7	mg/kg	1.0	EPA 6010	ery3-2019/02/13	bab2-2019/02/15
Selenium (total)	n.d.	n.d.	mg/kg	10.0	EPA 6010	ery3-2019/02/13	bab2-2019/02/15
Zinc (total)	131.7	154.1	mg/kg	2.0	EPA 6010	ery3-2019/02/13	bab2-2019/02/15
Copper (total)	102	120	mg/kg	1	EPA 6010	ery3-2019/02/13	bab2-2019/02/15
Arsenic (total)	3.82	4.47	mg/kg	0.5	EPA 6020	ras7-2019/02/14	bab2-2019/02/15
Aluminum (total)	5960	6980	mg/kg	5.0	EPA 6010	ery3-2019/02/13	bab2-2019/02/15
Cobalt (total)	3.26	3.82	mg/kg	1.00	EPA 6010	ery3-2019/02/13	bab2-2019/02/15
Total neutralizing value (CaCO3 eq)	5.6		%	0.1	AOAC 955.01	eas2-2019/02/14	asl4-2019/02/18

The result(s) issued on this report only reflect the analysis of the sample(s) submitted.

Our reports and letters are for the exclusive and confidential use of our clients and may not be reproduced in whole or in part, nor may any reference be made to the work, the results, or the company in any advertising, news release, or other public announcements without obtaining our prior written authorization.



**19-056-4129**

REPORT DATE  
**Feb 25, 2019**

SEND TO  
**34024**

ISSUE DATE  
**Feb 25, 2019**

RECEIVED DATE  
**Feb 12, 2019**



13611 B Street • Omaha, Nebraska 68144-3693 • (402) 334-7770  
 www.midwestlabs.com

**CITY OF LARAMIE WWTP  
 KARLA ADAMI  
 PO BOX C  
 LARAMIE WY 82073**

**REPORT OF ANALYSIS**  
 For: (34024) CITY OF LARAMIE WWTP  
 Compost Pkg

Analysis	Level Found	As Received	Dry Weight	Units	Reporting Limit	Method	Analyst-Date	Verified-Date
----------	-------------	-------------	------------	-------	-----------------	--------	--------------	---------------

EPA 1681 holding time of < 24 hours from sampling to laboratory set up of samples for biosolids and compost has been exceeded. Individual states enforce different holding times for compost or biosolids so please contact the regulatory body in your state for their requirements.

EPA 1682 holding time of < 6 hours from sampling to laboratory set up of samples for biosolids and compost has been exceeded. If a level of Salmonella was reported, the value would be considered an estimate. Individual states enforce different holding times for compost or biosolids so please contact the regulatory body in your state for their requirements.  
 n.d. = not detected , ppm = parts per million, mg/kg

For questions please contact:

*Heather Ramig*  
 Heather Ramig  
 Account Manager  
 hramig@midwestlabs.com (402)829-9891

The result(s) issued on this report only reflect the analysis of the sample(s) submitted.

Our reports and letters are for the exclusive and confidential use of our clients and may not be reproduced in whole or in part, nor may any reference be made to the work, the results, or the company in any advertising, news release, or other public announcements without obtaining our prior written authorization.

SUBFORM NUMBER:

749787



13611 B Street, Omaha, NE 68144 | midwestlabs.com | (402) 334-7770

ORDER NUMBER:

121265

PAGE 8/9

PAGE:

1

ACCOUNT NO: 34024  
CITY OF LARAMIE WWTP  
KARLA ADAMI  
PO BOX C  
LARAMIE, WY 82073

SAMPLE DESCRIPTION

Compost Pkg

COPY TO:



PO NUMBER:

Automatic Order Submittal Form

PLACED BY: Robert A Ferris

SAMPLE ID	DATE/TIME SAMPLED	MATRIX	TESTS REQUESTED	CONTAINER COUNT	COMMENTS
1 749787-1	11:30am 2-11-19	S	Compost Pkg with narrative	1	2895226
2 749787-2		S	Compost Pkg " "	1	2895227
3 749787-3		S	Compost Pkg " "	1	2895228
4 749787-4		S	Compost Pkg " "	1	2895229
5					
6					
7					
8					
9					
10					

Sampled by (signature) <i>Karla Adami</i>	Temp on Arrival 60/	Cooler arrived intact?	Relinquished by (signature)	Date/Time	Received by (signature)
Relinquished by (signature) <i>Karla Adami</i>	Date/Time 2-11-19 2pm	Received by (signature)	Relinquished by (signature)	Date/Time	Received in lab (signature)

CHAIN OF CUSTODY

Our reports and letters are for the exclusive and confidential use of our clients and may not be reproduced in whole or in part, nor may any reference be made to the work, the results, or the company in any advertising, news release, or other public announcements without obtaining our prior written authorization.

This report shall not be reproduced, except in its entirety, without the written approval of Midwest Laboratories. The results on this report reflect only the analysis of the samples submitted.



Sample Acceptance Checklist

Document Number: RC CHKLIST 001

Revision No.: 4

Effective Date: 1/31/2019

Page 1 of 1



Lab Number:

Thermometer Used:  Therm Fisher IR 11

Cooler Intact:  Yes  No  
Received on Ice:  Yes  No  
Hand Delivered:  Yes  No

Sample Temperature (°C): 6.1

Date & Initials of person accepting samples: EG 2/12/19

						Comments	
Chain of Custody present?	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Sample ID(s):	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Sample Location(s):	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Client contact:	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Analysis Requested:	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Date & Time of collection:	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Sampler name on COC?	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Chain of custody relinquished with signature?	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Chain of custody complete?	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Sample labels match COC?	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Written in indelible ink?	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Labels indicate proper preservation?	<input type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input checked="" type="checkbox"/>	N/A	
Samples arrived within hold time?	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Samples arrived within correct temperature?	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Sufficient volume?	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Appropriate containers used?	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Filtered volume received for dissolved tests?	<input type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input checked="" type="checkbox"/>	N/A	
Headspace in VOA vials?	<input type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input checked="" type="checkbox"/>	N/A	
Trip Blank present?	<input type="checkbox"/>	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>	N/A	


Client Notification/Resolution: Date/Time Contacted: \_\_\_\_\_

Person Contacted: \_\_\_\_\_ Contacted By: \_\_\_\_\_


Comments/Resolution: Arrived w/ a less than an hour left on hold time.



13611 B Street • Omaha, Nebraska 68144-3693 • (402) 334-7770 • FAX (402) 334-9121 • www.midwestlabs.com

Lab #	2895229	Report of Analysis		Report Number: 19-056-4130																																																																																																																																																	
<b>Account:</b> 34024	KARLA ADAMI CITY OF LARAMIE WWTP PO BOX C LARAMIE WY 82073		 Robert Ferris Account Manager 402-829-9871																																																																																																																																																		
<b>Date Sampled:</b> <b>Date Received:</b> <b>Sample ID:</b>	2019-02-11 2019-02-12 749787-4																																																																																																																																																				
			Compost Pkg																																																																																																																																																		
Total content, lbs per ton (as rec'd)																																																																																																																																																					
<table border="1"> <thead> <tr> <th></th> <th></th> <th>Analysis (as rec'd)</th> <th>Analysis (dry weight)</th> <th></th> </tr> </thead> <tbody> <tr> <td colspan="5"><b>NUTRIENTS</b></td> </tr> <tr> <td colspan="5">Nitrogen</td> </tr> <tr> <td>Total Nitrogen</td> <td>%</td> <td>1.16</td> <td>1.33</td> <td>23.2</td> </tr> <tr> <td>Organic Nitrogen</td> <td>%</td> <td>1.05</td> <td>1.21</td> <td>21.0</td> </tr> <tr> <td>Ammonium Nitrogen</td> <td>%</td> <td>0.108</td> <td>0.124</td> <td>2.2</td> </tr> <tr> <td>Nitrate Nitrogen</td> <td>%</td> <td>&lt; 0.01</td> <td>----</td> <td>----</td> </tr> <tr> <td colspan="5">Major and Secondary Nutrients</td> </tr> <tr> <td>Phosphorus</td> <td>%</td> <td>0.39</td> <td>0.45</td> <td>7.8</td> </tr> <tr> <td>Phosphorus as P2O5</td> <td>%</td> <td>0.89</td> <td>1.02</td> <td>17.8</td> </tr> <tr> <td>Potassium</td> <td>%</td> <td>0.73</td> <td>0.84</td> <td>14.6</td> </tr> <tr> <td>Potassium as K2O</td> <td>%</td> <td>0.88</td> <td>1.01</td> <td>17.6</td> </tr> <tr> <td>Sulfur</td> <td>%</td> <td>0.28</td> <td>0.32</td> <td>5.6</td> </tr> <tr> <td>Calcium</td> <td>%</td> <td>3.19</td> <td>3.66</td> <td>63.8</td> </tr> <tr> <td>Magnesium</td> <td>%</td> <td>0.89</td> <td>1.02</td> <td>17.8</td> </tr> <tr> <td>Sodium</td> <td>%</td> <td>0.050</td> <td>0.057</td> <td>1.0</td> </tr> <tr> <td colspan="5">Micronutrients</td> </tr> <tr> <td>Iron</td> <td>ppm</td> <td>12000</td> <td>13768</td> <td>24.0</td> </tr> <tr> <td>Manganese</td> <td>ppm</td> <td>270</td> <td>310</td> <td>0.5</td> </tr> <tr> <td>Boron</td> <td>ppm</td> <td>&lt; 100</td> <td>----</td> <td>----</td> </tr> <tr> <td colspan="5"><b>OTHER PROPERTIES</b></td> </tr> <tr> <td>Moisture</td> <td>%</td> <td>12.84</td> <td></td> <td></td> </tr> <tr> <td>Total Solids</td> <td>%</td> <td>87.16</td> <td></td> <td>1743.2</td> </tr> <tr> <td>Organic Matter</td> <td>%</td> <td>21.00</td> <td>24.09</td> <td>420.0</td> </tr> <tr> <td>Ash</td> <td>%</td> <td>65.50</td> <td>75.15</td> <td>1310.0</td> </tr> <tr> <td>Total Carbon</td> <td>%</td> <td>12.07</td> <td>13.85</td> <td></td> </tr> <tr> <td>Chloride</td> <td>%</td> <td>0.04</td> <td>0.05</td> <td></td> </tr> <tr> <td>pH</td> <td></td> <td>7.6</td> <td></td> <td></td> </tr> <tr> <td>Conductivity 1:5 (Soluble Salts)</td> <td>mS/cm</td> <td>1.73</td> <td></td> <td></td> </tr> </tbody> </table>							Analysis (as rec'd)	Analysis (dry weight)		<b>NUTRIENTS</b>					Nitrogen					Total Nitrogen	%	1.16	1.33	23.2	Organic Nitrogen	%	1.05	1.21	21.0	Ammonium Nitrogen	%	0.108	0.124	2.2	Nitrate Nitrogen	%	< 0.01	----	----	Major and Secondary Nutrients					Phosphorus	%	0.39	0.45	7.8	Phosphorus as P2O5	%	0.89	1.02	17.8	Potassium	%	0.73	0.84	14.6	Potassium as K2O	%	0.88	1.01	17.6	Sulfur	%	0.28	0.32	5.6	Calcium	%	3.19	3.66	63.8	Magnesium	%	0.89	1.02	17.8	Sodium	%	0.050	0.057	1.0	Micronutrients					Iron	ppm	12000	13768	24.0	Manganese	ppm	270	310	0.5	Boron	ppm	< 100	----	----	<b>OTHER PROPERTIES</b>					Moisture	%	12.84			Total Solids	%	87.16		1743.2	Organic Matter	%	21.00	24.09	420.0	Ash	%	65.50	75.15	1310.0	Total Carbon	%	12.07	13.85		Chloride	%	0.04	0.05		pH		7.6			Conductivity 1:5 (Soluble Salts)	mS/cm	1.73		
		Analysis (as rec'd)	Analysis (dry weight)																																																																																																																																																		
<b>NUTRIENTS</b>																																																																																																																																																					
Nitrogen																																																																																																																																																					
Total Nitrogen	%	1.16	1.33	23.2																																																																																																																																																	
Organic Nitrogen	%	1.05	1.21	21.0																																																																																																																																																	
Ammonium Nitrogen	%	0.108	0.124	2.2																																																																																																																																																	
Nitrate Nitrogen	%	< 0.01	----	----																																																																																																																																																	
Major and Secondary Nutrients																																																																																																																																																					
Phosphorus	%	0.39	0.45	7.8																																																																																																																																																	
Phosphorus as P2O5	%	0.89	1.02	17.8																																																																																																																																																	
Potassium	%	0.73	0.84	14.6																																																																																																																																																	
Potassium as K2O	%	0.88	1.01	17.6																																																																																																																																																	
Sulfur	%	0.28	0.32	5.6																																																																																																																																																	
Calcium	%	3.19	3.66	63.8																																																																																																																																																	
Magnesium	%	0.89	1.02	17.8																																																																																																																																																	
Sodium	%	0.050	0.057	1.0																																																																																																																																																	
Micronutrients																																																																																																																																																					
Iron	ppm	12000	13768	24.0																																																																																																																																																	
Manganese	ppm	270	310	0.5																																																																																																																																																	
Boron	ppm	< 100	----	----																																																																																																																																																	
<b>OTHER PROPERTIES</b>																																																																																																																																																					
Moisture	%	12.84																																																																																																																																																			
Total Solids	%	87.16		1743.2																																																																																																																																																	
Organic Matter	%	21.00	24.09	420.0																																																																																																																																																	
Ash	%	65.50	75.15	1310.0																																																																																																																																																	
Total Carbon	%	12.07	13.85																																																																																																																																																		
Chloride	%	0.04	0.05																																																																																																																																																		
pH		7.6																																																																																																																																																			
Conductivity 1:5 (Soluble Salts)	mS/cm	1.73																																																																																																																																																			

13611 B Street • Omaha, Nebraska 68144-3693 • (402) 334-7770 • FAX (402) 334-9121 • www.midwestlabs.com

Lab #	2895229	<b>Biological &amp; Physical Properties</b>	Report Number: 19-056-4130								
<b>Account:</b> 34024	KARLA ADAMI CITY OF LARAMIE WWTP PO BOX C LARAMIE WY 82073		 Robert Ferris Client Service Representative 402-829-9871								
<b>Date Sampled:</b>	2019-02-11		Compost Pkg								
<b>Date Received:</b>	2019-02-12										
<b>Sample ID:</b>	749787-4										
<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 60%;"></th> <th style="width: 10%;">Analysis (as rec'd)</th> <th style="width: 10%;">Analysis (dry weight)</th> <th style="width: 10%;">Units</th> <th style="width: 10%;">Detection Limit</th> <th style="width: 10%;">Method</th> </tr> </thead> </table>							Analysis (as rec'd)	Analysis (dry weight)	Units	Detection Limit	Method
	Analysis (as rec'd)	Analysis (dry weight)	Units	Detection Limit	Method						
<b>Biological Properties</b>											
Germination	77.8		%	1	TMECC 05.05A						
Germination Vigor	100		%	1	TMECC 05.05A						
CO <sub>2</sub> OM Evolution	0.22		mgCO <sub>2</sub> -C/gOM/day	0.01	TMECC 05.08B						
CO <sub>2</sub> Solids Evolution	0.11		mgCO <sub>2</sub> -C/gTS/day	0.01	TMECC 05.08B						
Fecal Coliform		< 0.2	mpn/g	0.2	EPA 1681						
Salmonella		< 0.01	mpn/4g	0.01	EPA 1682						
Stability Rating	Stable		N/A	N/A	TMECC 05.08B						
<b>Physical Properties</b>											
Bulk Density (Loose)	1567		lbs/cu yard	1	WT/VOL						
Bulk Density (Packed)	1584		lbs/cu yard	1	WT/VOL						
Film Plastics	n.d.		%	0.25	Microscopic						
Glass Fragments	n.d.		%	0.25	Microscopic						
Hard Plastics	n.d.		%	0.25	Microscopic						
Metal Fragment	n.d.		%	0.25	Microscopic						
Sharps	Absent		---	---	Microscopic						
Max. Particle Length		0.5	inches	N/A	TMECC Sieve						
Sieve % Passing 3"		100	%	0.01	TMECC Sieve						
Sieve % Passing 2"		100	%	0.01	TMECC Sieve						
Sieve % Passing 1.5"		100	%	0.01	TMECC Sieve						
Sieve % Passing 1"		100	%	0.01	TMECC Sieve						
Sieve % Passing 3/4"		100	%	0.01	TMECC Sieve						
Sieve % Passing 5/8"		100	%	0.01	TMECC Sieve						
Sieve % Passing 3/8"		100	%	0.01	TMECC Sieve						
Sieve % Passing 1/4"		100	%	0.01	TMECC Sieve						

Compost Results Interpretations  
Page 1

Report #: 19-056-4130  
DATE RECEIVED: 2019-02-12

Organic Matter %		Greater than 20% indicates a desirable range for compost on a dry weight basis.
21.00	As Received	
24.09	Dry Weight	

Compost is a significant source of Organic Matter, which is an important supplier of carbon. Organic Matter improves soil and plant efficiency by improving soil physical properties, providing a source of energy to beneficial organisms, and enhancing the reservoir of soil nutrients.

C/N Ratio		20-30 indicates an ideal range for the initial compost process. 10-20 indicates an ideal range for a finished compost.
10.4:1		

All organic matter is made up of substantial amounts of carbon with lesser amounts of nitrogen. The balance of these two elements is called the Carbon/Nitrogen Ratio. For the best performance, the compost pile requires the correct proportion of carbon for energy and nitrogen for protein production. If the C:N ratio is too high (excess carbon) decomposition slows down. If the C:N ratio is too low (excess Nitrogen) the compost pile could be difficult to manage.

Moisture %		<35% = Indicates overly dry compost  >55% = Indicates overly wet compost
12.84		

Moisture Percent is the measure of water present in the compost and expressed as a percentage of total weight. Moisture present affects handling and transport. Overly dry will be light and dusty while overly wet will be heavy and clumpy. A desirable moisture content of finished compost will range between 40 to 50%.

Compost Results Interpretations

Page 2

Report #:

19-056-4130

DATE RECEIVED:

2019-02-12

Conductivity or Soluble Salts measures the conductance of electrical current in a liquid compost slurry. Excessive soluble salt content in a compost can prevent or delay seed germination and proper root growth. Conductivity analysis is done on a 1:5 basis.

Conductivity 1:5
1.7

Conductivity Level	Interpretation
Greater than 10	Very High nutrient content. Use for Ag Applications
5 - 10	High nutrient content. Use for Ag Applications
3 - 5	Higher than desirable for salt sensitive plants, some loss of vigor
0.6 - 3	Desirable range for most plants
0.3 - 0.6	Ideal range for greenhouse growth media
0.0 - 0.3	Very Low: Indicates very low nutrient status: plants may show deficiencies.

Compost Results Interpretations  
Page 3

Report #: 19-056-4130  
DATE RECEIVED: 2019-02-12

**pH Value**  
7.6

0 to 14 scale with 6 to 8 as normal pH levels for compost  
A pH in the 6 to 8 pH range indicates a more mature compost

pH measures the acidity or alkalinity of the compost, and is a measurement of the hydrogen ion activity of a soil or compost on a logarithmic scale. The pH scale ranges from 0 to 14 and 7 indicates a neutral pH. Growing media with a higher pH or pH greater than 7 can benefit from a compost that has a more acidic pH or pH below 7. This type of application will possibly lower the soil pH making the soil more conducive to plants that thrive in a more acidic soil condition.

**Nutrient Index (Ag Index)**  
>10

The Nutrient Index normally runs between 1 and 10.

The Nutrient Index is obtained by dividing the total nutrients (N,P,K) by the amount of salt (Sodium and Chloride). The higher the Nutrient Index the less chance of having a toxic buildup of Sodium (salt) in the soil.

AG INDEX CHART										
<i>salt injury possible</i>	<i>use on soils with excellent drainage characteristics, good water quality and low salts</i>				<i>you may use on soils with poor drainage, poor water quality, or high salts</i>				<i>for all soils</i>	
1	2	3	4	5	6	7	8	9	10	> 10

**Nutrients (N+P205+K20)**

3.36 Average Nutrient Content Dry Weight <2 = Low, >5 = High  
1-1-1 Rating As Received

The most commonly used compost data is the amount of Nitrogen, Phosphate, and Potash (abbreviated as N,P,K) present and the information is similar to that found in common fertilizers. If a compost result has the rating 1-2-2 it means that the compost has 1% Nitrogen, 2% Phosphate and 2% Potash. Most compost tests will have a average nutrient level (N+P+K) of < 5%.



**19-056-4130**

REPORT DATE  
**Feb 25, 2019**  
 RECEIVED DATE  
**Feb 12, 2019**

SEND TO  
**34024**



13611 B Street • Omaha, Nebraska 68144-3693 • (402) 334-7770  
 www.midwestlabs.com

ISSUE DATE  
**Feb 25, 2019**

**CITY OF LARAMIE WWTP  
 KARLA ADAMI  
 PO BOX C  
 LARAMIE WY 82073**

**REPORT OF ANALYSIS**  
 For: (34024) CITY OF LARAMIE WWTP  
 Compost Pkg

Analysis	Level Found		Reporting			Analyst- Date	Verified- Date
	As Received	Dry Weight	Units	Limit	Method		

Sample ID: 749787-4	Lab Number: 2895229		Date Sampled: 2019-02-11 1130				
Cadmium (total)	0.55	0.63	mg/kg	0.50	EPA 6010	ery3-2019/02/13	bab2-2019/02/15
Chromium (total)	14.7	16.9	mg/kg	1.00	EPA 6010	ery3-2019/02/13	bab2-2019/02/15
Mercury (total)	0.24	0.28	mg/kg	0.05	EPA 7471	pid8-2019/02/14	bab2-2019/02/15
Lead (total)	15.9	18.2	mg/kg	5.0	EPA 6010	ery3-2019/02/13	bab2-2019/02/15
Molybdenum (total)	2.3	2.6	mg/kg	1.0	EPA 6010	ery3-2019/02/13	bab2-2019/02/15
Nickel (total)	10.8	12.4	mg/kg	1.0	EPA 6010	ery3-2019/02/13	bab2-2019/02/15
Selenium (total)	n.d.	n.d.	mg/kg	10.0	EPA 6010	ery3-2019/02/13	bab2-2019/02/15
Zinc (total)	149.2	171.2	mg/kg	2.0	EPA 6010	ery3-2019/02/13	bab2-2019/02/15
Copper (total)	121	139	mg/kg	1	EPA 6010	ery3-2019/02/13	bab2-2019/02/15
Arsenic (total)	3.50	4.01	mg/kg	0.5	EPA 6020	ras7-2019/02/14	bab2-2019/02/15
Aluminum (total)	7560	8680	mg/kg	5.0	EPA 6010	ery3-2019/02/13	bab2-2019/02/15
Cobalt (total)	3.75	4.30	mg/kg	1.00	EPA 6010	ery3-2019/02/13	bab2-2019/02/15
Total neutralizing value (CaCO3 eq)	6.9		%	0.1	AOAC 955.01	ees2-2019/02/14	asl4-2019/02/18

The result(s) issued on this report only reflect the analysis of the sample(s) submitted.

Our reports and letters are for the exclusive and confidential use of our clients and may not be reproduced in whole or in part, nor may any reference be made to the work, the results, or the company in any advertising, news release, or other public announcements without obtaining our prior written authorization.

**19-056-4130**

REPORT DATE  
Feb 25, 2019

SEND TO  
34024

ISSUE DATE  
Feb 25, 2019

RECEIVED DATE  
Feb 12, 2019



13611 B Street • Omaha, Nebraska 68144-3693 • (402) 334-7770  
www.midwestlabs.com

CITY OF LARAMIE WWTP  
KARLA ADAMI  
PO BOX C  
LARAMIE WY 82073

**REPORT OF ANALYSIS**  
For: (34024) CITY OF LARAMIE WWTP  
Compost Pkg

Analysis	Level Found	As Received	Dry Weight	Units	Reporting Limit	Method	Analyst-Date	Verified-Date
----------	-------------	-------------	------------	-------	-----------------	--------	--------------	---------------

EPA 1681 holding time of < 24 hours from sampling to laboratory set up of samples for biosolids and compost has been exceeded. Individual states enforce different holding times for compost or biosolids so please contact the regulatory body in your state for their requirements.

EPA 1682 holding time of < 6 hours from sampling to laboratory set up of samples for biosolids and compost has been exceeded. If a level of Salmonella was reported, the value would be considered an estimate. Individual states enforce different holding times for compost or biosolids so please contact the regulatory body in your state for their requirements.  
n.d. = not detected , ppm = parts per million, mg/kg

For questions please contact:

*Heather Ramig*  
Heather Ramig  
Account Manager  
hramig@midwestlabs.com (402)829-9891

The result(s) issued on this report only reflect the analysis of the sample(s) submitted.

Our reports and letters are for the exclusive and confidential use of our clients and may not be reproduced in whole or in part, nor may any reference be made to the work, the results, or the company in any advertising, news release, or other public announcements without obtaining our prior written authorization.

SUBFORM NUMBER:

749787



13611 B Street, Omaha, NE 68144 | midwestlabs.com | (402) 334-7770

ORDER NUMBER:

121265

PAGE 8/9

PAGE:

1

ACCOUNT NO: 34024  
CITY OF LARAMIE WWTP  
KARLA ADAMI  
PO BOX C  
LARAMIE, WY 82073

SAMPLE DESCRIPTION

Compost Pkg

COPY TO:



PO NUMBER:

Automatic Order Submittal Form

PLACED BY: Robert A Ferris

SAMPLE ID	DATE/TIME SAMPLED	MATRIX	TESTS REQUESTED	CONTAINER COUNT	COMMENTS
1 749787-1	11:30am 2-11-19	S	Compost Pkg with narrative	1	2895226
2 749787-2		S	Compost Pkg " "	1	2895227
3 749787-3		S	Compost Pkg " "	1	2895228
4 749787-4		S	Compost Pkg " "	1	2895229
5					
6					
7					
8					
9					
10					

Sampled by (signature) <i>Karla Adami</i>	Temp on Arrival 6.0/	Cooler arrived intact?	Relinquished by (signature)	Date/Time	Received by (signature)
Relinquished by (signature) <i>Karla Adami</i>	Date/Time 2-11-19 2pm	Received by (signature)	Relinquished by (signature)	Date/Time	Received in lab (signature)

CHAIN OF CUSTODY

Our reports and letters are for the exclusive and confidential use of our clients and may not be reproduced in whole or in part, nor may any reference be made to the work, the results, or the company in any advertising, news release, or other public announcements without obtaining our prior written authorization.

This report shall not be reproduced, except in its entirety, without the written approval of Midwest Laboratories. The results on this report reflect only the analysis of the samples submitted.



# Sample Acceptance Checklist

Document Number: RC CHKLIST 001

Revision No.: 4

Effective Date: 1/31/2019

Page 1 of 1



Lab Number: \_\_\_\_\_

Thermometer Used:  Therm Fisher IR 11

Cooler Intact:  Yes  No  
Received on Ice:  Yes  No  
Hand Delivered:  Yes  No

Sample Temperature (°C): 6.1

Date & Initials of person accepting samples: EG 2/12/19

						Comments	
Chain of Custody present?	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Sample ID(s):	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Sample Location(s):	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Client contact:	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Analysis Requested:	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Date & Time of collection:	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Sampler name on COC?	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Chain of custody relinquished with signature?	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Chain of custody complete?	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Sample labels match COC?	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Written in indelible ink?	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Labels indicate proper preservation?	<input type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input checked="" type="checkbox"/>	N/A	
Samples arrived within hold time?	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Samples arrived within correct temperature?	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Sufficient volume?	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Appropriate containers used?	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	N/A	
Filtered volume received for dissolved tests?	<input type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input checked="" type="checkbox"/>	N/A	
Headspace in VOA vials?	<input type="checkbox"/>	Yes	<input type="checkbox"/>	No	<input checked="" type="checkbox"/>	N/A	
Trip Blank present?	<input type="checkbox"/>	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>	N/A	

**Client Notification/Resolution:** Date/Time Contacted: \_\_\_\_\_

Person Contacted: \_\_\_\_\_ Contacted By: \_\_\_\_\_

Comments/Resolution: Arrived w/ a less than an hour left on hold time.